

## SEA FREIGHT

### Standard containers

#### 20' Standard



**Capacity** = 33,2 CBM

**Inside dimensions**

**L x B x H (mm)** = 5.900 x 2.352 x 2.395

**Door Opening dimensions**

**B x H (mm)** = 2.340 mm x 2.292 mm

**Max payload** = 30.130 KG

**Pallet load**

9-10 Standard pallets (1000 x 1200)

11 Euro pallets 800 x 1200

#### 40' Standard



**Capacity** = 67,7 CBM

**Inside dimensions**

**L x B x H (mm)** = 12.032 x 2.352 x 2.395

**Door Opening dimensions**

**B x H (mm)** = 2.340 mm x 2.292 mm

**Max payload** = 28.470 KG

**Pallet load**

20 to 21 Standard pallets 1000 x 1200 mm

23 to 24 Euro pallets 800 x 1200 mm

#### 40' High Cube



**Capacity** = 76,3 CBM

**Inside dimensions**

**L x B x H (mm)** = 12.032 x 2.350 x 2.700

**Door Opening dimensions**

**B x H (mm)** = 2.340 mm x 2.597 mm

**Max payload** = 28.490 KG

## 45' Pallet wide



**Capacity = 90 CBM**

### Inside dimensions

**L x B x H (mm) = 13.556 x 2.444 x 2.695**

### Door Opening dimensions

**B x H (mm) = 2.416 mm x 2.585 mm**

## Special containers

### Flatrack

For oversized and heavy cargo

#### 20' Flatrack




### Dimensions Loading surface

**L x W x H (mm) = 5.638 x 2.194 x 2.233**

**Max payload = 42.100 KG**

#### 40' Flatrack



### Dimensions Loading surface

**L x W x H (mm) = 11.652 x 2.320 x 2.264**

**Max payload = 49.100 KG**

## Reefer containers

For temperature-controlled cargo.

### 20' Reefer



**Capacity = 28,7 CBM**

#### Inside dimensions

**L x B x H (mm) = 5.535 x 2.284 x 2.224**

#### Door Opening dimensions

**B x H (mm) = 2.290 mm x 2.264 mm**

**Max payload = 27.538 KG**

### 40' Reefer



**Capacity = 60 CBM**

#### Inside dimensions

**L x W x H (mm) = 11.563 x 2.294 x 2.161**

#### Door Opening dimensions

**W x H (mm) = 2.288 mm x 2.188 mm**

**Max payload = 29.400 KG**

### 45' Pallet wide Reefer



**Capacity = 83.1 CBM**

#### Inside dimensions

**L x W x H (mm) = 13.303 x 2.438 x 2.585**

#### Door Opening dimensions

**W x H (mm) = 2.441 mm x 2.551 mm**

#### Pallet capacity

euro pallets (1200 mm x 800mm): 33

iso / block pallets (1200 mm x 1000 mm):

26

## Open Top-Container

Suitable for loading from the top or side.

### 20' Open top



**Capacité** = 32,5 CBM

#### **Dimensions intérieures**

**L x l x H (mm)** = 5 895 x 2 350 x 2 380

#### **Dimensions ouverture de porte**

**l x H (mm)** = 2 288 mm x 2 280 mm

#### **Dimensions ouverture de toit**

**l x L (mm)** = 2 230 x 5 338

**Charge utile maxi** = 30 000 KG

### 40' Open top



**Capacité** = 66,8 CBM

#### **Dimensions intérieures**

**L x l x H (mm)** = 12 029 x 2 350 x 2 380

#### **Dimensions ouverture de porte**

**l x H (mm)** = 2 340 mm x 2 276 mm

**Charge utile maxi** = 28 450 KG